

In the claims:

1. (Withdrawn).
2. (Withdrawn).
3. (Withdrawn).
4. (Withdrawn).
5. (Withdrawn).
6. (Withdrawn).
7. (Withdrawn).
8. (Withdrawn).
9. (Withdrawn).
10. (Withdrawn).
11. (Withdrawn).
12. (Withdrawn).

13. (Withdrawn).

14. ~~The A~~ method of exchanging audio/visual information ~~as~~
~~in claim 13 wherein the step of processing the first packet~~
~~further comprises~~ between a caller and a called party
through the Internet, such method comprising the steps of:

the caller connecting to a server;

the server authenticating an identity of the caller
using a server authentication program;

the server setting up a session link between the
caller and called party using a transport control protocol
and a tunneled real time control protocol;

sending a access request from the caller to the called
party under the tunneled real time protocol;

collecting audio and video information from the caller
and called party by receiving video frame information via a
video capture card and substantially simultaneously
receiving audio information via an audio input, both
residing on a personal computer of respective caller and
called party;

re-sampling the audio and video information to obtain
packets of a predetermined data format;

partitioning the packets into smaller data packets;

forming the audio and video portions into data objects
incorporating capture characteristics of the audio and
video information;

attaching a time stamp to each formed data object;

the caller and called party transmitting and receiving
audio and video information by exchanging the formed audio
and video data objects as real time packets using the
transport control protocol between the caller and called
party through the session link;

the caller and called party ordering each received packet based upon timestamp and then by smallest relative sequence number; and

the caller and called party copying a first packet of the ordered packets into a synch buffer and processing the first packet, wherein the step of processing the first packet further comprises determining a sleep time and if the sleep time is less than 10 milliseconds, processing the first packet immediately.

15. ~~The~~ A method of exchanging audio/visual information as in claim 13 between a caller and a called party through the Internet, such method comprising the steps of:

the caller connecting to a server;

the server authenticating an identity of the caller using a server authentication program;

the server setting up a session link between the caller and called party using a transport control protocol and a tunneled real time control protocol;

sending a access request from the caller to the called party under the tunneled real time protocol;

collecting audio and video information from the caller and called party by receiving video frame information via a video capture card and substantially simultaneously receiving audio information via an audio input, both residing on a personal computer of respective caller and called party;

re-sampling the audio and video information to obtain packets of a predetermined data format;

partitioning the packets into smaller data packets;

forming the audio and video portions into data objects
incorporating capture characteristics of the audio and
video information;

attaching a time stamp to each formed data object;
the caller and called party transmitting and receiving
audio and video information by exchanging the formed audio
and video data objects as real time packets using the
transport control protocol between the caller and called
party through the session link;

the caller and called party ordering each received
packet based upon timestamp and then by smallest relative
sequence number; and

the caller and called party copying a first packet of
the ordered packets into a synch buffer and processing the
first packet, wherein the step of processing the first
packet further comprises determining a sleep time and if
the sleep time is greater than 50 milliseconds, processing
the first packet after a 50 millisecond wait.

16. ~~The~~ A method of exchanging audio/visual information as
in claim 13 between a caller and a called party through the
Internet, such method comprising the steps of:

the caller connecting to a server;
the server authenticating an identity of the caller
using a server authentication program;

the server setting up a session link between the
caller and called party using a transport control protocol
and a tunneled real time control protocol;

sending a access request from the caller to the called
party under the tunneled real time protocol;

collecting audio and video information from the caller and called party by receiving video frame information via a video capture card and substantially simultaneously receiving audio information via an audio input, both residing on a personal computer of respective caller and called party;

re-sampling the audio and video information to obtain packets of a predetermined data format;

partitioning the packets into smaller data packets;

forming the audio and video portions into data objects incorporating capture characteristics of the audio and video information;

attaching a time stamp to each formed data object;

the caller and called party transmitting and receiving audio and video information by exchanging the formed audio and video data objects as real time packets using the transport control protocol between the caller and called party through the session link;

the caller and called party ordering each received packet based upon timestamp and then by smallest relative sequence number; and

the caller and called party copying a first packet of the ordered packets into a synch buffer and processing the first packet, wherein the step of processing the first packet further comprises determining a sleep time and if the sleep time is between 10 and 50 milliseconds, then sleeping for a predetermined number of milliseconds and then processing the first packet.

17. ~~The A~~ method of exchanging audio/visual information as in claim 13 further comprising between a caller and a

called party through the Internet, such method comprising the steps of:

the caller connecting to a server;

the server authenticating an identity of the caller using a server authentication program;

the server setting up a session link between the caller and called party using a transport control protocol and a tunneled real time control protocol;

sending a access request from the caller to the called party under the tunneled real time protocol;

collecting audio and video information from the caller and called party by receiving video frame information via a video capture card and substantially simultaneously receiving audio information via an audio input, both residing on a personal computer of respective caller and called party;

re-sampling the audio and video information to obtain packets of a predetermined data format;

partitioning the packets into smaller data packets;

forming the audio and video portions into data objects incorporating capture characteristics of the audio and video information;

attaching a time stamp to each formed data object;

the caller and called party transmitting and receiving audio and video information by exchanging the formed audio and video data objects as real time packets using the transport control protocol between the caller and called party through the session link;

the caller and called party ordering each received packet based upon timestamp and then by smallest relative sequence number;

the caller and called party copying a first packet of the ordered packets into a synch buffer and processing the first packet;

decoding each received ~~frame,~~ frame;

adding via a ring buffer a relatively small audio lead ~~time,~~ time; and

keeping one video frame in the ring buffer for a repaint of a displayed video image.

18. (Original) The method of exchanging audio/visual information as in claim 17 further comprising clearing the ring buffer in response to detection of a new audio frame, the new video frame replacing a previous video frame.

19. (Original) The method of exchanging audio/visual information as in claim 18 further comprising feeding decoded frames to a DirectX application to be played back.

20. (Original) The method of exchanging audio/visual information as in claim 19 further comprising updating the video frames and playing back the audio stream.

21. (Original) The method of exchanging audio/visual information as in claim 20 further comprising sending an instant message, when there is an instant message text to be sent to the server, and , when there are instant messages received, displaying the instant message.

22. (Withdrawn).

23. (Withdrawn).

24. (Withdrawn).

25. (Withdrawn).

26. (Withdrawn).

27. (Withdrawn).

28. (Withdrawn).

29. (Withdrawn).

30. (Withdrawn).

31. (Withdrawn).

32. (Withdrawn).

33. (Withdrawn).

34. (Withdrawn).

35. (Currently Amended) The ~~An~~ apparatus for exchanging audio/visual information ~~as in claim 34~~ between a caller and a called party through the Internet, such apparatus comprising:

means for connecting the caller to a server and setting up a session link between the caller and called party using a transport control protocol and a tunneled real time control protocol;

means for authenticating an identify of the caller using a server authentication program;

means for sending an access request from the caller to the called party under the tunneled real time protocol;

means for collecting audio and video information from the caller and called party by receiving video frame information via a video capture card and substantially simultaneously receiving audio information via an audio input, both residing on a personal computer of respective caller and called party;

means for re-sampling the audio and video information to obtain packets of a predetermined data format;

means for partitioning the packets into smaller data packets;

means for forming the audio and video portions into data objects incorporating capture characteristics of the audio and video information, wherein the incorporated capture characteristics of the audio information includes at least one of the group consisting of sample rate, bit length of each sample, and a channel number and the incorporated capture characteristics of the video information includes at least one of the group consisting of x position, y position and color space;

means for attaching a time stamp to each formed data object;

means for transmitting and receiving audio and video information by exchanging the formed audio and video data objects as real time packets using a transport control protocol between the caller and called party through the session link;

means for ordering each packet received by the caller and called party based upon a timestamp and then by smallest relative sequence number; and

means for copying a first packet of the ordered packets into a synch buffer and processing the first packet, wherein the means for processing the first packet further comprises means for determining a sleep time and if the sleep time is less than 10 milliseconds, processing the first packet immediately.

36. (Currently Amended) ~~The~~ An apparatus for exchanging audio/visual information as in claim 34 between a caller and a called party through the Internet, such apparatus comprising:

means for connecting the caller to a server and setting up a session link between the caller and called party using a transport control protocol and a tunneled real time control protocol;

means for authenticating an identify of the caller using a server authentication program;

means for sending an access request from the caller to the called party under the tunneled real time protocol;

means for collecting audio and video information from the caller and called party by receiving video frame information via a video capture card and substantially simultaneously receiving audio information via an audio input, both residing on a personal computer of respective caller and called party;

means for re-sampling the audio and video information to obtain packets of a predetermined data format;

means for partitioning the packets into smaller data packets;

means for forming the audio and video portions into data objects incorporating capture characteristics of the audio and video information, wherein the incorporated

capture characteristics of the audio information includes at least one of the group consisting of sample rate, bit length of each sample, and a channel number and the incorporated capture characteristics of the video information includes at least one of the group consisting of x position, y position and color space;

means for attaching a time stamp to each formed data object;

means for transmitting and receiving audio and video information by exchanging the formed audio and video data objects as real time packets using the transport control protocol between the caller and called party through the session link;

means for ordering each packet received by the caller and called party based upon a timestamp and then by smallest relative sequence number; and

means for copying a first packet of the ordered packets into a synch buffer and processing the first packet and
-wherein the means for processing the first packet further comprises means for determining a sleep time and if the sleep time is greater than 50 milliseconds, processing the first packet after a 50 millisecond wait.

37. (Currently Amended) ~~The~~ An apparatus for exchanging audio/visual information as in claim 34 between a caller and a called party through the Internet, such apparatus comprising:

means for connecting the caller to a server and setting up a session link between the caller and called party using a transport control protocol and a tunneled real time control protocol;

means for authenticating an identify of the caller using a server authentication program;

means for sending an access request from the caller to the called party under the tunneled real time protocol;

means for collecting audio and video information from the caller and called party by receiving video frame information via a video capture card and substantially simultaneously receiving audio information via an audio input, both residing on a personal computer of respective caller and called party;

means for re-sampling the audio and video information to obtain packets of a predetermined data format;

means for partitioning the packets into smaller data packets;

means for forming the audio and video portions into data objects incorporating capture characteristics of the audio and video information, wherein the incorporated capture characteristics of the audio information includes at least one of the group consisting of sample rate, bit length of each sample, and a channel number and the incorporated capture characteristics of the video information includes at least one of the group consisting of x position, y position and color space;

means for attaching a time stamp to each formed data object;

means for transmitting and receiving audio and video information by exchanging the formed audio and video data objects as real time packets using the transport control protocol between the caller and called party through the session link;

means for ordering each packet received by the caller and called party based upon a timestamp and then by smallest relative sequence number; and

means for copying a first packet of the ordered packets into a synch buffer and processing the first packet, wherein the means for processing the first packet further comprises means for determining a sleep time and if the sleep time is between 10 and 50 milliseconds, then sleeping for a predetermined number of milliseconds and then processing the first packet.

38. (Currently Amended) ~~The~~ An apparatus for exchanging audio/visual information ~~as in claim 34 further comprising~~ between a caller and a called party through the Internet, such apparatus comprising:

means for connecting the caller to a server and setting up a session link between the caller and called party using a transport control protocol and a tunneled real time control protocol;

means for authenticating an identify of the caller using a server authentication program;

means for sending an access request from the caller to the called party under the tunneled real time protocol;

means for collecting audio and video information from the caller and called party by receiving video frame information via a video capture card and substantially simultaneously receiving audio information via an audio input, both residing on a personal computer of respective caller and called party;

means for re-sampling the audio and video information to obtain packets of a predetermined data format;

means for partitioning the packets into smaller data packets;

means for forming the audio and video portions into data objects incorporating capture characteristics of the audio and video information, wherein the incorporated capture characteristics of the audio information includes at least one of the group consisting of sample rate, bit length of each sample, and a channel number and the incorporated capture characteristics of the video information includes at least one of the group consisting of x position, y position and color space;

means for attaching a time stamp to each formed data object;

means for transmitting and receiving audio and video information by exchanging the formed audio and video data objects as real time packets using the transport control protocol between the caller and called party through the session link;

means for ordering each packet received by the caller and called party based upon a timestamp and then by smallest relative sequence number;

means for copying a first packet of the ordered packets into a synch buffer and processing the first packet; and

means for decoding each received frame from the ordered packets, adding via a ring buffer a relatively small audio lead time, and keeping one video frame in the ring buffer for a repaint of a displayed video image.

39. (Original) The apparatus for exchanging audio/visual information as in claim 38 further comprising means for clearing the ring buffer in response to detection of a new

audio frame, the new video frame replacing a previous video frame.

40. (Original) The apparatus for exchanging audio/visual information as in claim 39 further comprising means for feeding decoded frames to a DirectX application to be played back.

41. (Original) The apparatus for exchanging audio/visual information as in claim 40 further comprising means for updating the video frames and playing back the audio stream.

42. (Original) The apparatus for exchanging audio/visual information as in claim 41 further comprising means for sending an instant message, when there is an instant message text to be sent to the server, and , when there are instant messages received, displaying the instant message.

43. (Withdrawn).

44. (Withdrawn).

45. (Withdrawn).

46. (Withdrawn).

47. (Withdrawn).

48. (Withdrawn).

49. (Withdrawn).